

## A Multi-Language Execution Method

### Related Applications

This non-provisional application is related to and claims priority to provisional application number 60/246,915, entitled "A Data Processing Method Employing Cell Based Data Flow Description", and application number 60/246,916, entitled "A Multi-Language Execution Method", both filed on November 10, 2000, and both specifications are hereby fully incorporated by reference.

### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention

The present invention relates to the field of data processing. More specifically, the present invention relates to the employment of multiple programming languages interleaved within a single source file for data processing operations.

#### 2. Background Information

Ever since the invention of the first computer, computer scientists have continuously tried to improve the productivity of programmers, such that more applications can be developed using fewer resources to take advantage of the continuous advancements being made in the art of computer and related technologies. First assembler languages were developed to replace machine languages. Then, high level languages, such as FORTRAN, COBOL, PL/I and so forth, were developed to further improve the productivity of programmers. Development of high level languages were followed by structured languages such as Pascal and C, and then object oriented programming languages such as C++. To facilitate development of the Internet and the World Wide Web, "new" languages such as the Hypertext Markup Language (HTML), Java, Javascript, Perl and CGI were developed.

Each programming language has its strength and weakness, and is

In one embodiment, the mixed usage of at least three programming languages is supported. The first language is an XML-like declarative language, the second language is the Java language and the third language is XML.

### BRIEF DESCRIPTION OF DRAWINGS

The present invention will be described by way of exemplary embodiments, but not limitations, illustrated in the accompanying drawings in which like references denote similar elements, and in which:

**Figure 1** illustrates an overview of the multi-language execution method of the present invention, in accordance with one embodiment;

**Figure 2a** illustrates the relevant operational flow of the execution engine of **Fig. 1**, in accordance with one embodiment;

**Figure 2b** illustrates the relevant operational flow of a language specific processing unit of **Fig. 1**, for processing a code section of the language, in accordance with one embodiment;

**Figure 2c** illustrates the relevant operational flow of a language specific processing unit of **Fig. 1**, for processing a header section of the language, in accordance with one embodiment;

**Figure 3** illustrates a computer system suitable for use to practice the present invention, in accordance with one embodiment; and

**Figure 4** illustrates a multi-language data processing representation of **Fig. 1**, in further detail in accordance with one embodiment.

### DETAILED DESCRIPTION OF THE INVENTION

The present invention includes a method for specifying data processing operations using programming instructions of multiple programming languages, and for executing the multi-language data processing representation.

In the following description, various aspects of the present invention will be described. However, the present invention may be practiced with only some

## Overview

## Overview

embodiment, computing environment **102** is also provided with function libraries **112** of the programming languages.

As illustrated, in accordance with the embodiment, a multi-language data processing representation **106** includes one or more language namespace declarations **108** declaring language or languages employed, and one or more code sections **110** of the declared languages. In other embodiments, other non-namespace means may also be employed to declare the languages involved. As will be described in more detail below, each code section **110** may include sub-sections written in one or more other languages, that is code sections **110** of the different programming languages may be interleaved. Each sub-section may in turn have sub-sub-sections written in other languages, and so forth.

For the embodiment, data processing representation **106** may also include one or more language specific header sections **109** specifying various "preliminary" matters for subsequent code sections **110** of the language.

Execution engine **104** is endowed with logic to anticipate that data processing representations **106** may include code sections of different programming languages, and with the assistance of language specific processing units **105** be able to handle and facilitate execution of these code sections of different programming languages. Moreover, execution engine **104** is endowed with logic to anticipate and handle inter-mixing of code sections of the different programming languages. For the embodiment, upon encountering a code section/statement of a language, execution engine **104** invokes the corresponding language specific processing unit **105** to augment and provide the language specific processing required to process and facilitate execution of the code section/statement.

Language specific processing units **105** are endowed with logic to identify sub-sections written in unknown programming languages, and delegate the processing of those sub-sections back to the execution engine **104**. The execution engine **104**, in turn, will pass the sub-section to an appropriate language specific processor and return the result to the requesting language specific processing unit **105**.

In general, except for the teachings of the present invention incorporated in execution engine **104** and language specific processing units **105**, and the exploitation of these abilities by data processing representations **106**, data processing representations **106** are intended to represent a broad range of data processing representation methodologies known in the art, and execution engine **104** is intended to represent a broad range of the corresponding engines in support of these methodologies. Further, computing environment **102** may be disposed in a single or multi-processor system, or a collection of networked systems. In the case of networked systems, the systems may be networked locally, or across a number of private and/or public networks, including the Internet.

#### Mixed Language Data Processing Representation

Referring now to **Figure 4**, wherein a block diagram illustrating a mixed language data process representation **106** of **Fig. 1** in further details, in accordance with one embodiment is shown. As illustrated, and described earlier, for the embodiment, data processing representation **106** includes one or more language namespace declarations **108** declaring one or more languages employed. In one embodiment, declarations **108** are expressed in accordance with the following exemplary syntax:

```
<xs:xsheet xmlns:xs="xl://crossgain.net/lang/xsheet/"
           xmlns:java="xl://crossgain.net/lang/java/">
```

where "xmlns" declares an XML namespace,

"xl://crossgain.net/lang/xsheet/" is a namespace using a specially formed URI identifying one language that may be used in this source. The execution engine uses this URI to locate an appropriate language specific processing unit for sections written in this language.

"xl://crossgain.net/lang/java/" is a specially formed URI identifying a second language that may be used in this source (an extension of the well known Java language in this example). The execution engine uses this URI to locate an appropriate

language specific processing unit for sections written in this language.

"xs" is a namespace prefix used to identify sections of the source written in the language identified by the associated namespace, "xl://crossgain.net/lang/xsheet/"

"java" is a namespace prefix used to identify sections of the source written in the language identified by the associated namespace, "xl://crossgain.net/lang/java/"

Cell based data processing is described in U.S. patent application number 09/741,219, entitled "Cell Based Data Processing", filed on December 19, 2000, which is a non-provisional application of the earlier enumerated U.S. provisional patent application 60/246,915. Readers are referred to the '219 application for further details.

For ease of understanding, the remaining description of the present invention will be presented primarily in the context of the aforementioned "cell based" methodology/language and the extension of the Java language, the present invention is not so limited. The present invention may be practiced with any two or more currently known or to be developed languages, as long as each of the languages is amenable to the declaration and reference techniques described in further details below.

Continuing to refer to **Fig. 4**, and as alluded earlier, for the embodiment, data processing representation **106** further includes a number of language specific header sections **109** of selected supported languages. For the embodiment, each header section **109** may include one or more directive statements **402** directing one or more preliminary or preparatory actions, such as importing of data packages, to be performed, and one or more declarative statements **404** declaring one or more processing methods or instance variables to be instantiated for use by subsequent code sections **110** of the language.

In one embodiment, a header section **109** may be declared in accordance with the following exemplary syntax:

<xs:header>

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

Still referring to **Fig. 4.** as described earlier, data processing section **106** further includes language specific as well as mixed language code sections **110a** and **110b**. For the embodiment, statements of a second language may be intermixed among statement of a first language, employing one or more sets of delimiting language tag pairs **442a-442b** and **444a-444b** as shown.

}

As illustrated, for the embodiment, statements within the delimited code section may also invoke one or more local, remote or built-in library functions of the language. In one embodiment, the built-in library functions supported for the example Java language include

- 8

- b) a push(element) function to append a copy of a specified element to the output of the delimited code section and reposition the insertion point for the delimited code section inside the element such that subsequent output of the delimited code section is appended as children of this element;
- c) a pop() function to "back up" the current insertion point for the delimited code section such that subsequent output of the delimited code section is appended as children of the parent of the element containing the current insertion point; and
- d) a getDocument() function to retrieve and return a W3C document object for the delimited code section, for use as a space in which new nodes may be created.

#### Execution Engine

**Figure 2a** illustrates the operational flow of the relevant aspects of execution engine **104** in accordance with one embodiment; more specifically, the operational flow of execution engine **104** for processing data processing representation **106**. The embodiment, assumes, execution engine **104**, like other conventional execution engines of prior art data processing representations, upon invocation, would parse and interpret the statements of data processing representation **106**.

As illustrated, for the embodiment, execution engine **104** first locates and processes the declaration statements declaring the programming languages employed in expressing the data processing representation being processed, block **202**. Next, execution engine **104** locates the start of the "next" code section, identifies the language associated with code section, and as described earlier, invoke the corresponding language specific processing unit to process the code section, block **204**.

Upon return of execution control, execution engine **104** determines whether end of execution has been reached, block **208**, if not, execution engine **104** continues the process at block **204** again, i.e. determining the language of the "next" code section, and invoke the corresponding language specific processing unit to process the "next" code section.



The process continues until eventual execution control is returned where end of execution has been reached.

### Language Specific Processing Unit

**Figure 2b** illustrates the operational flow of the relevant aspects of a language specific processing unit **105** for processing a non-header code section of the language, in accordance with one embodiment. As illustrated, for the embodiment, the processing unit first locates the "next" statement to be executed, block **222**. Upon locating the "next" statement, the processing unit determines if the it is a statement of the language or of an unknown language (e.g. the start of a language tag of a sub-section of another language), block **224**. If it is a statement of an unknown language, as described earlier, the processing unit invokes the execution engine recursively allowing it to evaluate the foreign language section with the other language specific processing units at its disposal.

If it is a statement of the language the language processor the statement elements accordingly, starting with a next statement element, block **226**. Again, the processing unit determines if the statement element is an element recognized within the language or it's an element of an unknown language (e.g. the start of a language tag of a sub-section of another language), block **228**. If it is an element of an unknown language, as described earlier, the processing unit invokes the execution engine recursively.

If it is an element recognized by the language, the processing unit processes the element accordingly, block **230**. As described earlier, in one embodiment, the language element may be an invocation invoking a library function of the language. If so, the library function is invoked and executed accordingly. The library function may be local or remote, and invoked in a namespace based approach. Invocation of function in a namespace based approach is the subject matter of Patent Cooperation Treaty (PCT) patent application number <to be insert>, entitled "Namespace Based Function Invocation", contemporaneously filed, and published on <insert date>, which claims priority to the earlier enumerated U.S. provisional patent application 60/246,916. Readers are referred to the 'xxx application for further details.

Still referring to **Fig. 2b**, thereafter, at block **232**, the processing unit determines if end of statement has been reached. If not, it continues operation at block **226** again. If end of statement has been reached, the processing unit determines if there are additional statements to be processed, block **234**. If so, it continues operation at block **222** again. Otherwise, it returns execution control back to the execution engine.

**Figure 2c** illustrates the operational flow of the relevant aspects of a language specific processing unit **105** for processing a header section of the language, in accordance with one embodiment. More specifically, the embodiment is the embodiment in support of the Java language, incorporating the earlier described features. Other language specific processing units **105** in support of other languages may be likewise implemented with or without modifications and alterations.

As illustrated, upon invocation, the exemplary processing unit **105** determines if it is processing a directive or a declarative statement, block **232**. If it is a directive statement being processed, the exemplary processing unit **105** performs the specified operation, e.g. an import operation importing enumerated data packages, as directed, block **234**. On the other hand, if it is a declarative statement being processed, the exemplary processing unit **105** processes the declaration, e.g. instantiating a declared processing method or an instance variable, as declared, block **236**.

The process continues as earlier described, block **238**, until all statements of the header section are processed.

#### Example Computer System

**Figure 3** illustrates a computer system suitable for use to practice the present invention, in accordance with one embodiment. As shown, computer system **300** includes one or more processors **302** and system memory **304**. Additionally, computer system **300** includes mass storage devices **306** (such as diskette, hard drive, CDROM and so forth), input/output devices **308** (such as keyboard, cursor control and so forth) and communication interfaces **310** (such as network interface cards, modems and so forth). The elements are

coupled to each other via system bus **312**, which represents one or more buses. In the case of multiple buses, they are bridged by one or more bus bridges (not shown). Each of these elements performs its conventional functions known in the art. In particular, system memory **304** and mass storage **306** are employed to store a working copy and a permanent copy of the programming instructions implementing the execution engine and the language specific processing units. The permanent copy of the programming instructions may be loaded into mass storage **306** in the factory, or in the field, through a distribution medium (not shown) or through communication interface **310** (from a distribution server (not shown)). The constitution of these elements **302-312** are known, and accordingly will not be further described.

#### Conclusion and Epilogue

Thus, it can be seen from the above descriptions, a novel method and apparatus for processing and facilitating execution of data processing representations encoded using multiple programming languages has been described. While the present invention has been described in terms of the above illustrated embodiments, those skilled in the art will recognize that the invention is not limited to the embodiments described. The present invention can be practiced with modification and alteration within the spirit and scope of the appended claims. The description is thus to be regarded as illustrative instead of restrictive on the present invention.